

# GASKETS SELECTION



Grade	Temp. Range	Gasket Materia	Color Code	General Service Application
E	-30°F to +230°F -34°C to +110°C	EPDM	Green	Water, oil-free air services and many chemical services Not for Petroleum services.
T	-4°F to +176°F -20°C to +80°C	Nitrile	Orange	Petroleum or oil services within specified temperature range and water waste. Not for hot water services.
L	-30°F to +350°F -34°C to +177°C	Silicone	Red	Dry, heat air without hydrocarbons and high temperature chemical services.
V	-22°F to +180°F -30°C to +82°C	Neoprene	Yellow	Excellent oxidation resistance for some chemical services.

Note: for service not listed, please contact Recomb for further assistant.